



**University of
Zurich**^{UZH}

**Zurich Open Repository and
Archive**

University of Zurich
University Library
Strickhofstrasse 39
CH-8057 Zurich
www.zora.uzh.ch

Year: 2019

Author Correction / 2019: Automated Gleason grading of prostate cancer tissue microarrays via deep learning

Arvaniti, Eirini ; Fricker, Kim S ; Moret, Michael ; Rupp, Niels ; Hermanns, Thomas ; Fankhauser, Christian ; Wey, Norbert ; Wild, Peter J ; Rüschhoff, Jan H ; Claassen, Manfred

Abstract: A correction to this article has been published and is linked from the HTML and PDF versions of this paper. The error has not been fixed in the paper.

DOI: <https://doi.org/10.1038/s41598-019-43989-8>

Posted at the Zurich Open Repository and Archive, University of Zurich

ZORA URL: <https://doi.org/10.5167/uzh-171766>

Journal Article

Published Version



The following work is licensed under a Creative Commons: Attribution 4.0 International (CC BY 4.0) License.

Originally published at:

Arvaniti, Eirini; Fricker, Kim S; Moret, Michael; Rupp, Niels; Hermanns, Thomas; Fankhauser, Christian; Wey, Norbert; Wild, Peter J; Rüschhoff, Jan H; Claassen, Manfred (2019). Author Correction / 2019: Automated Gleason grading of prostate cancer tissue microarrays via deep learning. *Scientific Reports*, 9(1):7668.

DOI: <https://doi.org/10.1038/s41598-019-43989-8>

SCIENTIFIC REPORTS

OPEN

Author Correction: Automated Gleason grading of prostate cancer tissue microarrays via deep learning

Eirini Arvaniti^{1,5}, Kim S. Fricker², Michael Moret¹, Niels Rupp², Thomas Hermanns³, Christian Fankhauser³, Norbert Wey², Peter J. Wild^{2,4}, Jan H. Rüschhoff² & Manfred Claassen^{1,5}

Correction to: *Scientific Reports* <https://doi.org/10.1038/s41598-018-30535-1>, published online 13 August 2018

This Article contains an error in the Discussion section.

“The low-risk and intermediate-risk groups defined by the model’s predictions were more significantly separated compared to the first study where deep learning-based predictions are used for survival analysis in a prostate cancer cohort.”

should read:

“The low-risk and intermediate-risk groups defined by the model’s predictions were more significantly separated compared to the corresponding groups defined by either pathologist’s annotations. To our knowledge, this is the first study where deep learning-based predictions are used for survival analysis in a prostate cancer cohort.”



Open Access This article is licensed under a Creative Commons Attribution 4.0 International License, which permits use, sharing, adaptation, distribution and reproduction in any medium or format, as long as you give appropriate credit to the original author(s) and the source, provide a link to the Creative Commons license, and indicate if changes were made. The images or other third party material in this article are included in the article’s Creative Commons license, unless indicated otherwise in a credit line to the material. If material is not included in the article’s Creative Commons license and your intended use is not permitted by statutory regulation or exceeds the permitted use, you will need to obtain permission directly from the copyright holder. To view a copy of this license, visit <http://creativecommons.org/licenses/by/4.0/>.

© The Author(s) 2019

¹Institute for Molecular Systems Biology, ETH Zurich, Zurich, Switzerland. ²Department of Pathology and Molecular Pathology, University of Zurich, Zurich, Switzerland. ³Department of Urology, University of Zurich, Zurich, Switzerland. ⁴Dr. Senckenberg Institute of Pathology, University Hospital Frankfurt, Frankfurt, Germany. ⁵Swiss Institute of Bioinformatics (SIB), Zurich, Switzerland. Eirini Arvaniti and Kim S. Fricker contributed equally. Correspondence and requests for materials should be addressed to J.H.R. (email: JanHendrik.Rueschhoff@usz.ch) or M.C. (email: claassen@imsb.biol.ethz.ch)